



## CA200 Wireless Conference Kit

Wireless 4K UHD screen sharing pod for conference

- HDMI enabled display supported, one-press to start **4K/30fps wireless screen-share**
- One-click switch between **screen share and freeze mode**
- Supports **up to 4 devices for seamless expansion**
- **Plug-n-play** without software installation
- Synchronize system volume control for screen sharing devices
- Wireless access to UVC camera/microphone/speaker
- Perfect with CA400 suite
- Universal stand for flexible deployment

■ ■ FEATURES ■ ■

**HDMI and Wireless Camera Support**

Support **HDMI display** and **HD wireless camera**

**UVC cameras** supported, and perfect for **CM70 4K UHD camera**

**IFPD reverse control** supported

**One-click Screen Freeze**

Support **4K/30fps screen freeze** for a static display

**Universal Stand**

Clip-able stand with magnetic pad for easy mounting on the display

**One-click Screen-sharing**

**4K/30fps Screen-sharing** to big display without software installation, **plug-n-play**



**RC10**  
Receiver Hub

**CP20**  
Screen-Sharing Pod

## ■ ■ SPECIFICATIONS ■ ■

### 4K UHD Screen Sharing

- Resolution: Up to 4K/30fps with low latency
- Security: WPA3 data encryption
- IFPD: Reverse control supported
- Desktop sharing: Mirror and extended mode
- Multi-device sharing: Up to 4

### Connectivity

- Wi-Fi: Wi-Fi 5/Wi-Fi 6
- Frequency band: 2.4GHz/5GHz
- Encryption protocol: WPA3-PSK
- Transmission Distance: up to 10 meters
- Frequency bands & max. transmitted power (EU):
  - Wi-Fi 5GHz, Max 20dBm (Support for selecting corresponding 5G channels based on the country.)

### I/O Interface

- CP20 Screen-Sharing Pod: Type C PD + DP ALT
- RC10 Receiver Hub: HDMI x1, Type C PD, USB A 3.0 x1

### Physical Specifications

- Specifications
  - CP20 Screen-Sharing Pod:**
    - Operating Voltage: 5V
    - Power consumption: 2.5W
    - Buttons: Screen-Sharing/Volume up/Volume down/Freeze Screen
    - LED indicator: 1 Red, 1 Green
  - Freeze Screen Button:**
    - Green light: Resume casting
    - Red light: Pause casting
  - RC10 Receiver Hub:**
    - Physical Character: magnetic attraction
    - Input power supply: 5V/2A
- Dimensions
  - CP20 Screen-Sharing Pod: 189\*40\*18mm
  - CP20 Screen-Sharing Pod USB cable length: 85mm
  - RC10 Receiver Hub: 102\*45\*20mm
  - Gift-box: 224\*138\*79.5mm
  - Carton package: 423\*296\*244mm (10PCS)
- Weight
  - CP20 Screen-Sharing Pod: 62g
  - RC10 Receiver Hub: 85g
  - Carton net weight: 0.675kg
  - Carton gross weight: 7.35kg
- Temperature and humidity
  - Working temperature: -10°C ~ +40°C
  - Working humidity: 0% ~ 95%RH

### Compatibility

- Mainstream UC/Video conferencing services
- Device: Compatible with Windows/Mac PCs, laptops, tablets and smartphones with full-featured USB-C

### Package Contents

- CA200 Wireless Conference Kit
- 1.5m HDMI Cable
- Power Adapter: Type-c port (5V/2A)
- Quick Installation Guide

## About FANVIL

FANVIL Technology Co., Ltd. (FANVIL) is a leading global provider of A&V-IoT (Audio& Video- IoT) devices with three R&D centers in Beijing, Shenzhen, and Suzhou, China, and three factories in Huizhou and Shangrao, China, and Vietnam. FANVIL has focused on Unified Communication technology innovation for more than 20 years and provides SIP phones and SIP security industrial products in the global market. As the pioneer in applying standardized network communication technology and Audio & Video technologies to build A&V IoT, we are boosting the digital transformation for multiple industries.

## About LINKVIL

As the sub-brand of FANVIL, LINKVIL will focus on the research and development of A&V-IoT wireless communication products. Based on Audio & Video -IoT, LINKVIL helps to achieve the full connection of wireless communication systems. LINKVIL builds a wireless communication Eco-system for multi-scenarios to help accelerate digital transformation.

## Copyright

Copyright © 2025 FANVIL Technology Co., Ltd.

All rights reserved. No parts of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, photocopying, recording, or otherwise, for any purpose, without the express written permission of FANVIL Technology Co., Ltd.

## More Information

The above specifications may be updated in the future without prior notice. All hardware/software/physical features should be based on the final shipped products. For more information, please visit: [www.fanvil.com](http://www.fanvil.com)

## Compliance



FANVIL Technology Co., Ltd.

Web: [www.fanvil.com](http://www.fanvil.com)

Add:10/F Block A, Dualshine Global Science Innovation Center,  
Honglang North 2nd Road, Bao'an District, Shenzhen, China

Copyright © 2025 Fanvil Technology Co., Ltd.